

Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.64



Product: 3003867 - HT-PE End Cap 125
 Unit: 1 piece
 Manufacturer: Wavin - IT - SM Maddalena

LCA standard: EN15804+A2 (2019)
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off
 Externally verified: Yes
 Issue date: 24-11-2022
 End of validity: 24-11-2027
 Verifier: Martijn van Hövell - SGS Search



When it comes to the most reliable roof rainwater drainage system, Wavin's QuickStream siphonic roof drainage system can effectively manage even the heaviest rainfall without any difficulty. This system makes an ideal choice for large roof building complexes or non-residential structures. Wavin's siphonic roof drainage system, along with complete pipe & fittings, is easy to install and substantially reduces installation cost, thus freeing up building space owing to its smart and highly reliable

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - IT - SM Maddalena (2020). (☑ = module declared, MND = module not declared).

| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | B6 | B7 | C1 | C2 | C3 | C4 | D |
|--|----|----|-----|-----|---|-----|-----|-----|-----|-----|-----|---|----|----|----|---|
| ☑ | ☑ | ☑ | MND | MND | MND | MND | MND | MND | MND | MND | MND | MND | ☑ | ☑ | ☑ | ☑ |
| Product stage | | | | | Use stage | | | | | | | End-of-Life stage | | | | |
| A1 Raw material supply A2 Transport A3 Manufacturing | | | | | B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment B6 Operational energy use B7 Operational water use | | | | | | | C1 De-construction demolition C2 Transport C3 Waste processing C4 Disposal | | | | |
| Construction process stage | | | | | Benefits and loads beyond the system boundaries | | | | | | | | | | | |
| A4 Transport gate to site A5 Assembly / Construction installation process | | | | | D Reuse- Recovery- Recycling- potential | | | | | | | | | | | |

Environmental impacts and parameters

GWP-total = EF Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - IT - SM Maddalena. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - IT - SM Maddalena.

Results

| Environmental impact | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
|----------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| GWP-total | kg CO2 eq | 2.88E-1 | 3.73E-2 | 2.21E-2 | 3.47E-1 | 3.87E-3 | 1.64E-1 | 2.14E-3 | -1.90E-1 | 3.26E-1 |
| GWP-f | kg CO2 eq | 3.15E-1 | 3.72E-2 | 1.89E-2 | 3.71E-1 | 3.87E-3 | 1.27E-1 | 2.14E-3 | -2.06E-1 | 2.99E-1 |
| GWP-b | kg CO2 eq | -2.77E-2 | 2.11E-5 | 1.59E-3 | -2.61E-2 | 2.35E-6 | 3.64E-2 | 1.61E-6 | 1.56E-2 | 2.60E-2 |
| GWP-luluc | kg CO2 eq | 1.97E-4 | 1.37E-5 | 1.59E-3 | 1.80E-3 | 1.37E-6 | 2.22E-5 | 3.08E-8 | -1.72E-4 | 1.66E-3 |
| ODP | kg CFC11 eq | 1.88E-8 | 8.53E-9 | 1.89E-9 | 2.92E-8 | 8.92E-10 | 3.09E-9 | 4.57E-11 | -1.09E-8 | 2.23E-8 |
| AP | mol H+ eq | 1.23E-3 | 2.62E-4 | 7.61E-5 | 1.56E-3 | 2.20E-5 | 1.28E-4 | 1.09E-6 | -6.38E-4 | 1.08E-3 |
| EP-fw | kg P eq | 6.16E-6 | 2.98E-7 | 2.93E-7 | 6.76E-6 | 3.18E-8 | 6.47E-7 | 1.42E-9 | -4.01E-6 | 3.43E-6 |
| EP-m | kg N eq | 2.22E-4 | 8.71E-5 | 1.29E-5 | 3.22E-4 | 7.89E-6 | 3.80E-5 | 7.72E-7 | -1.23E-4 | 2.46E-4 |
| EP-T | mol N eq | 2.46E-3 | 9.61E-4 | 1.45E-4 | 3.56E-3 | 8.69E-5 | 4.18E-4 | 4.43E-6 | -1.38E-3 | 2.70E-3 |
| POCP | kg NMVOC eq | 1.08E-3 | 2.70E-4 | 4.49E-5 | 1.40E-3 | 2.48E-5 | 1.31E-4 | 1.74E-6 | -5.88E-4 | 9.65E-4 |
| ADP-mm | kg Sb eq | 4.29E-6 | 9.28E-7 | 4.60E-7 | 5.67E-6 | 1.00E-7 | 5.08E-7 | 1.09E-9 | -1.43E-6 | 4.86E-6 |
| ADP-f | MJ | 1.08E+1 | 5.67E-1 | 2.48E-1 | 1.16E+1 | 5.94E-2 | 3.94E-1 | 3.34E-3 | -6.02E+0 | 6.02E+0 |
| WDP | m3 depriv. | 2.32E-1 | 1.70E-3 | 8.79E-2 | 3.22E-1 | 1.82E-4 | 7.54E-3 | 1.53E-5 | -1.37E-1 | 1.92E-1 |
| PM | disease inc. | 1.25E-8 | 3.25E-9 | 7.63E-10 | 1.65E-8 | 3.49E-10 | 2.09E-9 | 2.29E-11 | -6.30E-9 | 1.27E-8 |
| IR | kBq U-235 eq | 1.00E-2 | 2.48E-3 | 2.32E-4 | 1.27E-2 | 2.60E-4 | 1.21E-3 | 1.56E-5 | -4.70E-3 | 9.50E-3 |
| ETP-fw | CTUe | 4.10E+0 | 4.56E-1 | 3.92E-1 | 4.95E+0 | 4.82E-2 | 4.59E-1 | 2.94E-3 | -2.19E+0 | 3.26E+0 |
| HTP-c | CTUh | 1.05E-10 | 1.67E-11 | 2.09E-11 | 1.43E-10 | 1.72E-12 | 5.34E-11 | 8.11E-14 | -6.01E-11 | 1.38E-10 |
| HTP-nc | CTUh | 2.25E-9 | 5.38E-10 | 4.34E-10 | 3.22E-9 | 5.75E-11 | 6.71E-10 | 1.87E-12 | -1.31E-9 | 2.64E-9 |
| SQP | Pt | 3.59E+0 | 4.68E-1 | 4.53E-2 | 4.10E+0 | 5.08E-2 | 3.11E-1 | 8.57E-3 | -5.19E+0 | -7.15E-1 |
| Resource use | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
| PERE | MJ | 6.63E-1 | 7.94E-3 | 8.59E-1 | 1.53E+0 | 8.52E-4 | 1.91E-2 | 1.32E-4 | -9.26E-1 | 6.25E-1 |
| PERM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERT | MJ | 6.63E-1 | 7.94E-3 | 8.59E-1 | 1.53E+0 | 8.52E-4 | 1.91E-2 | 1.32E-4 | -9.26E-1 | 6.25E-1 |
| PENRE | MJ | 1.15E+1 | 6.02E-1 | 2.71E-1 | 1.24E+1 | 6.31E-2 | 4.20E-1 | 3.54E-3 | -6.49E+0 | 6.42E+0 |
| PENRM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PENRT | MJ | 1.15E+1 | 6.02E-1 | 2.71E-1 | 1.24E+1 | 6.31E-2 | 4.20E-1 | 3.54E-3 | -6.49E+0 | 6.42E+0 |
| PET | MJ | 1.22E+1 | 6.10E-1 | 1.13E+0 | 1.39E+1 | 6.39E-2 | 4.39E-1 | 3.68E-3 | -7.41E+0 | 7.04E+0 |
| SM | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NRSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FW | m3 | 3.66E-3 | 6.26E-5 | 2.09E-3 | 5.81E-3 | 6.72E-6 | 2.25E-4 | 4.13E-6 | -2.37E-3 | 3.68E-3 |

| Output flows and waste categories | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
|-----------------------------------|------|---------|---------|---------|---------|---------|---------|---------|----------|---------|
| HWD | kg | 2.14E-6 | 1.41E-6 | 2.41E-7 | 3.79E-6 | 1.52E-7 | 6.60E-7 | 4.01E-9 | -2.07E-6 | 2.54E-6 |
| NHWD | kg | 1.59E-2 | 3.37E-2 | 2.35E-3 | 5.20E-2 | 3.68E-3 | 1.93E-2 | 1.47E-2 | -7.16E-3 | 8.25E-2 |
| RWD | kg | 1.09E-5 | 3.86E-6 | 2.58E-7 | 1.50E-5 | 4.04E-7 | 1.55E-6 | 2.18E-8 | -4.43E-6 | 1.26E-5 |
| CRU | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFR | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MER | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EE | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EET | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EEE | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
<https://www.ecochain.com>
+31 20 3035 777